



МАРТ

Е-МАРТ
ВАШ ПОСТАВЩИК
ДАГУА

<https://emart.su/brands/dahua/>

Федеральный	8 800 511-77-41
Санкт-петербург	8 812 426-99-66
Москва	8 495 137-99-67
Краснодар	8 861 205-62-66

www.emart.su

mail@emart.su

DHI-ASL2101S DHI-ASL2101K

Bluetooth smart lock



Features

- 4-way opening: Bluetooth, Mifare Cards, passwords and mechanical keys
- Privacy password: xxx+password+xxx, preventing password to be seen by others
- Passage Mode and Non-disturbance Mode optional
- Auto lock when come across a consecutive invalid passwords or cards
- Low Voltage alarm(<4.5V)
- Huge storage: 50 cards, 50 passwords, 8 Bluetooth
- Emergency power supply outside
- Two colors optional
- Zinc alloy material

Technical Specification

Card

Card Type	Mifare 1
Card Features	Contactless, high security, all-in-one possible
Sensor Distance	< 20mm
Sensor Time	< 0.5s
Storage Capacity	50

Password

Keyboard Type	All-touch keyboard
Password Length	6-12 bits
Storage Capacity	50

Battery

Working Voltage	6V, AA alkaline battery (4pcs)
Battery Life	About 1 year (10 units/D)
Low Battery Warning	< DC4.5V
Emergency Power Supply	9V battery

Structure

Door Thickness	35-65mm (customizable)
Backset	60/70mm
Material	Zinc alloy

General

Working Temperature	-20°C~+55°C
Relative Humidity	10%~93%
Salt spray test	≥200h
Lock case test	≥100000 times
Package size	315*230*160(mm)
Gross weight	3.3Kg
Restore Default	Support
Reset	Support
Built-in Buzzer	Support

DHI-ASL2101S DHI-ASL2101K

Selection

	DHI-ASL2101S-L	Silver	Left-open
	DHI-ASL2101S-R	Silver	Right-open
	DHI-ASL2101K-L	Black	Left-open
	DHI-ASL2101K-R	Black	Right-open

Dimensions

